

### **Amendments to the Claims**

This listing of claims will replace all prior versions and listings of claims in the application.

### **Listing of Claims**

1-8. (canceled)

9. (currently amended) A medical device comprising:  
a guidewire having a first diameter and a distal stop having a second diameter greater than the first diameter;

an elongate tubular member having a proximal end and a distal end with a guide wire receiving lumen extending therethrough, a distal portion of the guidewire lumen having an inner diameter of substantially the same magnitude as the first diameter; and

a tip disposed at the distal end of the elongate tubular member and having a distal end, a proximal end and a tip lumen therethrough, the tip having an elastic portion and a radially inextensible distal portion distal of the elastic portion;

wherein the elongate tubular member is slidably disposed on the guidewire such that the distal end of the tip engages against the distal stop when the elongate tubular member is advanced distally relative to the guidewire;

wherein the tip comprises an amorphous polymer and the radially inextensible distal portion comprises a locally crystalline section thereof;

wherein the radially inextensible distal portion is a distalmost extremity;

wherein the distal end of the tip is configured to invert proximally into the tip lumen upon engaging the distal stop.

10-11. (canceled)

12. (previously presented) The medical device of claim 9, wherein the radially inextensible distal portion comprises a ring having a lumen therethrough.

13-15. (canceled)

16. (previously presented) The medical device of claim 9, wherein the radially inextensible distal portion is machined.

17. (previously presented) The medical device of claim 9, wherein the radially inextensible distal portion is formed by deposition.

18. (canceled)

19. (previously presented) The medical device of claim 9, wherein the radially inextensible distal portion comprises a non-compliant plastic band.

20. (canceled)

21. (currently amended) The medical device of claim [[20]] 9, ~~wherein the flexible portion is proximal of the radially inextensible distal portion,~~ wherein the flexible elastic portion tapers from a first outer diameter at a first location along the tip to a second outer diameter less than the first outer diameter at a second location along the tip distal of the first location.

22. (previously presented) The medical device of claim 21, wherein at the first location along the tip, the tip has a first thickness and a first inner diameter, and wherein at the second location along the tip distal of the first location, the tip has a second thickness less than the first thickness and a second inner diameter greater than the first inner diameter.

23. (currently amended) The medical device of claim 22, wherein the flexible elastic portion comprises an inner surface concave in a first plane normal to a longitudinal axis and a second plane normal to the first plane.

24-37. (canceled)

38. (new) The medical device of claim 9, wherein the tip lumen further comprises a cavity within the tip, wherein the cavity forms a concave hollow that is larger in diameter than the inner diameter of the guidewire lumen.

39. (new) The medical device of claim 12, wherein the tip includes a tie layer between the ring and the elastic portion of the tip.

40. (new) A medical device comprising:  
a guidewire having a first diameter and a distal stop having a second diameter greater than the first diameter;

an elongate amorphous polymeric tubular member having a proximal end, a distal end, and a guidewire lumen extending therethrough, wherein a distal portion of the guidewire lumen has an inner diameter of substantially the same magnitude as the first diameter; and

an integrally formed tip disposed at the distal end of the elongate tubular member and having a distal end, a proximal end, a tip lumen extending therethrough in fluid communication with the guidewire lumen, and an enlarged cavity formed within the tip lumen between the proximal end and the distal end of the tip;

wherein the tip includes an elastic portion disposed immediately proximal a radially inextensible distalmost extremity comprising a locally crystalline section thereof;

wherein the elongate amorphous polymeric tubular member is slidably disposed on the guidewire such that the distal end of the tip engages against the distal stop when the elongate tubular member is advanced distally along the guidewire;

wherein the tip is configured to invert such that the elastic portion folds back upon itself and the radially inextensible distalmost extremity is shifted proximally into the enlarged cavity upon engaging the distal stop.

41. (new) The medical device of claim 40, wherein the inverted tip stores energy that is released when the tip returns to an everted state, and the stored energy assists in peeling the tip off of the distal stop.

42. (new) The medical device of claim 41, wherein releasing the stored energy provides tactile feedback to an operator of the medical device.